



PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s)	James Mantyla	Examiner:	Eloshway, C.R.
Serial No.:	10/067,606	Group Art Unit:	3751 #7/A
Confirmation No.:	5890	Docket:	669-78
Filed:	February 5, 2002	Dated:	August 7, 2003
For:	P-TRAP FOR DRAINAGE SYSTEMS		

Commissioner for Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450

*I hereby certify this correspondence is being deposited with
the United States Postal Service as first class mail, postpaid
in an envelope, addressed to: Commissioner for Patents,
P.O. Box 1450, Alexandria, Virginia 22313-1450
on August 7, 2003*

Signed: *mjmulli / mjmullin*

RECEIVED

AUG 14 2003

TECHNOLOGY CENTER R3700

AMENDMENT

Sir:

This is in response to the non-final office action dated March 7, 2003 to which a response was first due on June 7, 2003. A request for an extension of time of two months accompanies this request. It is therefore submitted that this response is timely.

In response to the office action, the applicant proposes to amend the application as follows:

Amendments to the Specification begin on page 2 of this paper.

Amendment to the Claims are reflected in the listing of claims which begins on page 4 of this paper.

Remarks begin on page 9 of this paper.